



Part Number MET0000484

Metercube Electrically Heated

M3 304 Stainless Steel UN approved IBC (1000Ltr).

Rental Only.

For the transport and storage of Hazardous Liquids UN packaing groups 2 & 3. Non hazardous liquids, Food Stuffs, Specialty Chemicals, Paints, solvents and much more.....

Description

Metercube Electrically Heated
 304 Stainless Steel UN approved IBC (1000Ltr).
 UN approved for packaging Groups 2 & 3.
 Chemical applications, Coatings, Food Stuffs, and more.....
 Steam Heating as standard, Low working height, Top lift, Forklift, Pallet truck, Racking.
 H1140mm x L1150mm x W1150mm



Model	Metercube Electrically Heated
Part Number	MET0000484
Capacity	1000
Dimensions External (mm)	H:1140 x L:1150 x W:1150
Dimensions Folded (mm)	H:0 x L:0 x W:0
Tare Kg (from - to)	156 - 180
Gross Weight Kg (from - to)	2756 - 2780
Max S.G	2.6
Base Slope	7 deg deg
UN Packaging Group	2 3
Test Pressure	0
Max Working Pressure	0.2
Vaccum	0.34
Construction	304 Stainless Steel
<u>Transport and storage</u>	
Warehouse Store	
Stack Qty Full	4
Stack Qty Empty (Folded)	4
<u>40 ft Taut liner</u>	
Stack Qty Full	2
Stack Qty Empty (Folded)	2



Shipping Container	
Stack Qty Full	2
Stack Qty Empty (Folded)	2

Construction

Heavy duty 304 Stainless Steel construction tanks shell, 304 stainless steel pallet base, designed for the most demanding environments.

Handling

Forklift truck and pallet truck and top lift.

Transport

The dimensions of H1140mm x L1150mm x W1150mm . Ideally suited to containerisation

Storage

Self stacking, no need for racking, 4000Ltrs in one pallet space at a max SG of 2.6.

Advantages

The M3 Stainless Steel UN IBC is a very competitively priced rental option for the transport and storage of UN packaging group 2 and 3 Products.

The M3 has a capacity of over 1050 litres, is built to last and has unrivalled strength in this class of product.

Easy to fill using the large 460mm dia manway, or utilise the 4 x 2" BSP sockets on the tank top. Fully drainable base. The outlet terminates in a Full flow, 3 piece, 2" Ball valve with PTFE seals, part F camlock and cap.

Large outlets aid product discharge. Fully drainable base. The outlet terminates in a Full flow, 3 piece, 2" Ball valve with PTFE seals, part F camlock and cap.

All seals are PTFE and all wetted areas are 304 Stainless Steel.

A steam radiator on the base can be used with 2 Bar steam to give 13.5 Kw of heat or used with water to cool.

M3 Cleaning and Service Centre

Metano employs the latest Ultra High Water Jetting technology and Industrial Robotics to clean the M3 after use.

All containers are stripped, cleaned, rebuilt and tested on site at our Rowlands Gill facility.

Our service centre Cleans, Repairs and performs UN periodic testing of Metano rental units.

All Metano rental units are reusable and can be recycled at the end of life. Metano can offer a truly sustainable cradle to grave rental solution for all your liquid packaging needs.

Contact Metano Today for a rental Quote.




Metano Limited. Units 14/15 Winfield Industrial Estate
Rowlands Gill, Tyne & Wear, United Kingdom. NE39 1EH
T: +44 (0) 01207 549 448 F: +44 (0) 01207 549 447
E: sales@metano.com W: www.metano.com




Nirosta Plate No.1 LONG

MET0000544



Nirosta Plate No.2 SHORT

MET0000545



Nirosta Plate No.4 BTM SMALL

MET0000547